











on chromium and some iron-chromium alloys. *Journal of the Iron and Steel Institute* 114(2):117-126.

2. Franks, R. 1933 (Sept. 7). Chromium steels improved by nitrogen. *Iron Age*:10-13.

3. Uhlig, H. H. 1942 (Dec.). The role of nitrogen 18-8 stainless steel. *Transactions of the American Society for Metals*:947-982.

4. Scherer, R., Riedrich, G., and Kessner, H. H. 1945 (March 20). Nitrogen in chrome-nickel steels. *Iron Age*:56-60.

5. Franks, R., Binder, W. O., and Thompson, J. 1955. Austenitic chromium-manganese-nickel steels containing nitrogen. *Transactions of the American Society for Metals* 47:231-266.

6. Zackay, V. F., Carlson, J. F., and Jackson, P. L. 1956. High nitrogen austenitic Cr-Mn steels. *Transactions of the American Society for Metals* 48:508-525.

7. Whittenberger, E. J., Rosenow, E. R., and Carney, D. J. 1957 (July). Elevated temperature phase relationships in the Cr-Ni-Mn-N system. *Journal of Metals*:889-895.

8. Gunia, R. B., and Woodrow, G. R. 1970. Nitrogen improves engineering properties of chromium-nickel-stainless steel. *Journal of Materials* 5(2):413-430.

9. Eckenrod, J. J., and Kovach, C. W. 1979. Effect of nitrogen on the sensitization, corrosion, and mechanical properties of 18 Cr-Ni stainless steel. *Properties of austenitic stainless steels and their weld metals (influence of slight chemistry variations)*, ASTM STP 679, eds. C. R. Brickman and H. W. Garvin, pp. 17-41. Philadelphia: American Society for Testing and Materials.

10. Ferry, B. N., and Eckel, J. F. 1970. The effect of nitrogen on AISI Type 304 stainless steel proportional limit and work hardening rate of 304F. *Journal of Materials* 5(1):97-107.

11. Kawabe, Y., Nagawaga, R., and Mukoyama, T. 1970. The effect of nitrogen and molybdenum on the high temperature strength of 18 Cr-12 Ni-0.2 C austenitic stainless steel. *Transactions of National Research Institute for Metals* 12(2):15-25.

12. Kawabe, Y., and Nakagawa, R. 1971. The effect of interaction of interstitial solute elements on the high temperature strength of 18 Cr-18 Ni heat resisting steel. *Transactions of National Research Institute for Metals* 13(5):8-21.

13. Erasmus, L. A., and Yang, L. J. 1970 (July). Strengthening welds in the warm-worked grades of austenitic stainless steel by the addition of nitrogen to the weld metal. *Welding and Metal Fabrication*:269-275.

14. Gooch, T. G. 1969. The corrosion behavior of welded nitrogen bearing austenitic stainless steels. *Metal Construction* 1(12):569-574.

15. Ogawa, T., Aoki, S., Sakamoto, T., and Zaizen, T. 1982. The weldability of nitrogen-containing austenitic stainless steel: part 1—chloride pitting corrosion resistance. *Welding Journal* 61(5):139-s to 148-s.

16. Hronsky, P., and Duquette, D. J. 1982. Pitting behavior of duplex stainless steel in methanol/water/HCl solutions. *Corrosion* 38(2):63-69.

17. Baeslack, W. A., III, Savage, W. F. and Duquette, D. J. 1979. Effect of nitrogen on the microstructure and stress corrosion cracking of stainless steel weld metals. *Welding Journal* 58(3):83-s to 90-s.

18. Baeslack, W. A., III, Duquette, D. J., and Savage, W. F. 1978. Technical note: stress corrosion cracking in duplex stainless steel weldments. *Welding Journal* 57(6):175-s to

177-s.

19. Baeslack, W. A., III, Duquette, D. J., and Savage, W. F. 1979. The effect of ferrite content on stress corrosion cracking in duplex stainless steel weld metal at room temperature. *Corrosion* 35:45-54.

20. Goodwin, G. M., Cole, N. C., and Slaughter, G. M. 1972. A study of ferrite morphology in austenitic stainless steel weld metals. *Welding Journal* 51(9):425-s to 429-s.

21. David, S. A., Goodwin, G. M., and Braski, D. N. 1979. Solidification behavior of austenitic stainless steel filler wire. *Welding Journal* 59(11):330-s to 336-s.

22. Suutala, N., Takalo, T., and Moisis, T. 1979. The relationship between solidification and microstructure in austenitic and austenitic-ferritic stainless steel welds. *Met. Trans.* 10A:512-514.

23. Takalo, T., Suutala, N., and Moisis, T. 1976. Influence of ferrite content on its morphology in some austenitic weld metals. *Met. Trans.* 7A:1591-1592.

24. Takalo, T., and Moisis, T. 1979. Single phase solidification mode in austenitic-ferritic stainless steel welds. *Met. Trans.* 10A:1183-1190.

25. DeLong, W. T., Ostrom, G. A., and Szumachowski, E. R. 1956. Measurement and calculation of ferrite in stainless steel weld metal. *Welding Journal* 35(11):521-s to 528-s.

26. Lippold, J. C., and Savage, W. F. 1979. Solidification of austenitic stainless steel weldments—part 1, a proposed model. *Welding Journal* 58(12):362-s to 374-s.

27. Lippold, J. C., and Savage, W. F. 1980. Solidification of austenitic stainless steel weldments—part 2, the effect of alloy composition on ferrite morphology. *Welding Journal* 59(2):48-s to 58-s.

28. Arata, J., Matsuda, F., and Katayama, S. 1976. Fundamental investigation on solidification behavior of fully austenitic and duplex microstructure and effect of ferrite on micro-segregation. *Trans. of JWRI* 5:35-51.

29. Long, C. J., and DeLong, W. T. 1973. The ferrite content of austenitic stainless steel weld metal. *Welding Journal* 52(7):281-s to 297-s.

30. Kotecki, D. J. 1978. Welding parameter effects on open-arc stainless steel weld metal ferrite. *Welding Journal* 57(4):109-s to 117-s.

31. Arata, Y., Matsuda, F., and Saruwatari, S. 1974. *Trans. of JWRI* 3:79-88.

32. Lundin, C. D., Chou, C. P. D., and Sullivan, C. J. 1980. Hot cracking resistance of austenitic stainless steel weld metal. *Welding Journal* 59(8):226-s to 232-s.

33. Read, D. T., McHenry, H. I., Steinmeyer, P. A., and Thomas, R. D., Jr. 1980. Metallurgical factors affecting the toughness of 316L SMA weldments at cryogenic temperatures. *Welding Journal* 59(4):104-s to 112-s.

34. Szumachowski, E. R., and Reid, H. F. 1978. Cryogenic toughness of SMA austenitic stainless steel weld metals: part I—role of ferrite. *Welding Journal* 57(11):325-s to 333-s.

35. Berggren, R. G., Cole, N. C., Goodwin, G. M., Steigler, G. M., Slaughter, G. M., Gray, R. J., and King, R. T. 1978. Structure and elevated temperature properties of Type 308 stainless steel weld metal with varying ferrite properties. *Welding Journal* 57(6):167-s to 174-s.

36. Spruiell, J. E., Fett, W. E., and Lundin C. D. 1977. Technical note: ferrite stability at elevated temperature in austenitic stainless steel weld metal. *Welding Journal* 56(9):289-s to 290-s.

37. Thomas, R. G. 1978. The effect of delta

ferrite on the creep rupture properties of austenitic weld metals. *Welding Journal* 57(3):81-s to 86-s.

38. Cieslak, M. J., Ritter, A. M., and Savage, W. F. 1982. Solidification cracking and analytical electron microscopy of austenitic stainless steel weld metals. *Welding Journal* 61(1):1-s to 8-s.

39. Fredriks, H., and Van der Toorn, L. J. 1968. Hot cracking in austenitic stainless steel weld deposits. *British Welding J.* 15:178-182.

40. Lundin, C. D., and Spond, D. F. 1976. The nature and morphology of fissures in austenitic stainless steel weld metals. *Welding Journal* 55(11):356-s to 367-s.

41. Matsuda, F., Nakawaga, H., Uehara, T., Katayama, S., and Arata, Y. 1979. A new explanation for the role of delta ferrite improving weld solidification cracking in austenitic stainless steel. *Trans. of JWRI* 8:105-111.

42. Hull, F. C. 1967. Effect of delta ferrite on the hot cracking of stainless steel. *Welding Journal* 46(9):399-s to 409-s.

43. Brooks, J. A., and Lambert, F. J., Jr. 1978. The effects of phosphorus, sulfur and ferrite content on weld cracking of Type 309 stainless steel. *Welding Journal* 57(5):139-s to 143-s.

44. Zhitnikov, N. P. 1981. The hot cracking resistance of austenitic CrNi weld metal and weld zone in relation to nitrogen content. *Svar. Proiz.* 3:14-16.

45. Wieser, P. F. 1977. Structure and constitution of cast iron-chromium alloys. *Handbooks of stainless steel*, eds. D. Peckner and I. M. Bernstein, pp. 8-9. New York: McGraw-Hill Company.

46. Hull, F. C. 1973. Delta ferrite and martensitic formation in stainless steel. *Welding Journal* 52(5):193-s to 203-s.

47. Espy, R. H. 1982. Weldability of nitrogen-strengthened stainless steels. *Welding Journal* 61(5):149-s to 156-s.

48. Kobayashi, T., Kuwana, T., and Kikuchi, Y. 1965. *Arc atmosphere and nitrogen content of weld metal*. IIV document XII-265-65.

49. Arata, Y., Matsuda, F., and Saruwatari, S. 1974. Varenstraint test for solidification crack susceptibility in weld metal of austenitic stainless steels. *Trans. of JWRI* 3:79-88.

50. Christensen, N., and Gjermundsen, K. 1976. *Effects of pressure on weld metal chemistry*. IIV document II-A-401-76.

51. Suutala, N. 1983. Effect of solidification conditions on the solidification mode in austenitic stainless steel. *Met. Trans.* 14A:191-197.

52. Mel'kumov and Topilin. 1969. Alloying austenitic steels with nitrogen. *Metallovedeniyei Termicheskaya Obrabotka Metallor* 3:47-51.

53. Séferian, D. 1959. *Metallurgie de la soudure*. Paris: Dunod.

54. Matasunawa, A., and Nishiguchi, K. 1979. Arc characteristics in high pressure argon atmosphere. *Proceedings arc physics and weld pool behavior conference*, London, May 8-10, pp. 259-266.

55. Stalker, A. W., and Salter, G. R. 1975 (April). *A preliminary study of the effect of increased pressure on the welding arc*. Welding Institute report no. 3412/6/74.

56. Weisman, C., ed. 1976. *Welding handbook*, vol. 1, 7th edition, p. 73. Miami, Florida: American Welding Society.

57. Fleming, M. C. 1974. *Solidification processing*, p. 74. New York: McGraw-Hill Company.

58. Plaskett, T. S., and Winegard, W. C. 1960. Cell to dendrite transition in tin base alloys. *Canada. J. Physics* 38:1077.