



















## References

- Sanderson, G. P., and Llewellyn, D. T. 1969. Mechanical properties of standard austenitic stainless steels in the temperature range  $-196^{\circ}\text{C}$ . to  $800^{\circ}\text{C}$ . *J. Iron Steel Inst.* 209: 1129-1146.
- Randak, V. A., Wessling, W., Bock, H. E., Steimaurer, H., and Faust, L. 1971. Mechanische eigenschaften und schweißbarkeit stickstoff-legierter austenitischer stäle. *Stahl und Eisen* 91: 1255-1270.
- Tobler, R. L., and Reed, R. P. 1978. Interstitial carbon and nitrogen effects on the tensile and fracture parameters of AISI 304 stainless steel. *Proc. of symposium of the 107th AIME Annual Meeting*, Denver, Colo., March 2, pp. 17-48.
- Sakamoto, T., Nakagawa, Y., Yamauchi, I., Zaizen, T., Nakajima, H., and Shimamoto, S. 1984. Nitrogen-containing 25Cr-13Ni stainless steel as a cryogenic structural material. *Advances in Cryogenic Engineering Materials*, Plenum Press, New York, 30:137-144.
- Suemune, K., Masumoto, H., Nakajima, H., and Shimamoto, S. 1984. Development of a high-strength, high-manganese stainless steel for cryogenic use. *Advances in Cryogenic Engineering Materials* 30:169-176.
- Yoshimura, H., Shimizu, T., Yada, H., and Kitajima, K. 1980. *Trans. Iron Steel Inst.*, Japan, 20:187-191.
- Read, D. T., and Reed, R. P. 1979. Toughness, fatigue crack growth and tensile properties of three nitrogen-strengthened stainless steels at cryogenic temperatures. *The Metal Science of Stainless Steel*, ASM International, Metals Park, Ohio, pp. 92-121.
- Read, D. T., and Reed, R. P. 1981. Fracture and strength properties of selected austenitic stainless steels at cryogenic temperatures. *Cryogenics* 21:415-417.
- Morris, J. W., and Dalder, E. N. C. 1985. Cryogenic structural materials for superconducting magnets. *Journal of Metal* (10):24-33.
- Yoshida, K., Nakajima, H., Koizumi, K., Shimada, M., Sanada, Y., Takahashi, Y., Tada, E., Tsuji, H., and Shimamoto, S. 1982. Development of cryogenic structural materials for Tokamak reactor. *Austenitic Stainless Steels at Low Temperatures*, R. P. Reed, and T. Horiuchi, eds., Plenum Press, New York and London, pp. 29-39.
- Read, D. T., McHenry, H. I., Steinmeyer, P. A., and Thomas, R. D., Jr. 1980. Metallurgical factors affecting the toughness of 316 SMA weldments at cryogenic temperatures. *Welding Journal* 59(4):104-s to 113-s.
- Witherell, C. E. 1980. Welding stainless steels for structures operating at liquid helium temperature. *Welding Journal* (11): 326-s to 342-s.
- Whipple, T. A., McHenry, H. I., and Read, D. T. 1981. Fracture behavior of ferrite-free stainless steel welds in liquid helium. *Welding Journal* 60: 72-s to 78-s.
- Ogawa, T., Suzuki, K., and Zaizen, T. 1984. The weldability of nitrogen-containing austenitic stainless steel: part II—porosity, cracking and creep properties. *Welding Journal* 63(7):213-s to 223-s.
- Goodwin, G. M. 1985. Welding process selection for fabrication of a superconducting magnet structure. *Welding Journal* 64(8):19-25.
- Ogawa, T., Aoki, S., and Ito, T. August 1976. The influence of S, P, C, O and other impurity contents on the properties of austenitic stainless steel weld metal. Presented at 65th Committee of Welding Metallurgy, Japan Welding Society, WM-617-76 (in Japanese).
- Szumachowski, E. R., and Reid, H. F. 1978. Cryogenic toughness of SMA austenitic stainless steel weld metals: part I—role of ferrite. *Welding Journal* 57(11):325-s to 333-s.
- Ogawa, T., Nakamura, H., and Tsunetomi, E. 1981. Toughness at cryogenic temperature and hot cracking in austenitic stainless steel weld metals. *J. of Japan Welding Society* 50(12):1203-1211 (in Japanese), and 1982 IIW Document II-C-677-82.
- Whipple, T. A., and Kotecki, D. J. 1981. Weld process study for 316 stainless steel weld metal for liquid helium service. *Material Studies for Magnetic Fusion Energy Applications at Low Temperatures-IV*, NBSIR 81-1645, National Bureau of Standards, Boulder, Colo., pp. 303-321.
- Hiro, T., Agusa, K., and Nishiyama. 1984. Low temperature toughness of MIG weld metal in SUS316L steel. *Quarterly J. of Japan Welding Society* 2(3):513-520 (in Japanese).
- Knott, J. F. 1979. *Fundamentals of Fracture Mechanics*. Butterworths, London. Revised edition.
- Blazejak, D., Herbsleb, G., and Westfeld, K. J. 1976. Der einfluss von stickstoff auf die korrosion schemischen eigenschaften lösungsgeglühter und angelassener austenitischer 18Cr-10Ni und 18Cr-10N-Mostäle. *Werkstoffe und Korrosion* 27:398-403.
- Curran, R. M., and Rankin, A. W. 1955. Welding Type 347 stainless steel for 1100°F turbine operation. *Welding Journal* 34(3):205-213.
- Wegrzyn, J., and Klimpel, A. 1981. The effect of alloying elements on sigma phase formation in 18-8 weld metals. *Welding Journal* 60(8):146-s to 154-s.
- Cheng, T. W., McHenry, H. T., Li, P. N., Inoue, T., and Ogawa, T. 1984. Fracture toughness of 25 Mn austenitic steel weldments at 4 K. *Advances in Cryogenic Engineering Materials*. Plenum Press, New York, N.Y., Vol. 30, pp. 303-310.
- Ogawa, T., Masumoto, H., and Homma, H. 1982. The weldability of 25Mn steel. *Austenitic Steels at Low Temperatures*, R. P. Reed and T. Horiuchi, eds., Plenum Press, New York and London, pp. 339-348.
- Hemsworth, B., Boniszewski, T., and Eator, N. F. 1969. Classification and definition of high temperature welding cracks in alloys. *Metal Const. and Brit. Weld. J.* 2:5s-16s.
- Ogawa, T., and Tsunetomi, E. 1982. Hot cracking susceptibility of austenitic stainless steels. *Welding Journal* 61(3):82-s to 93-s.
- Ogawa, T. 1986. Weldability of Invar and its large-diameter pipe. *Welding Journal* 65 (8):213-s to 226-s.
- Nakajima, H., Yoshida, K., Takahashi, Y., Tada, E., Oshikiri, M., Koizumi, K., Shimamoto, S., Miura, R., Shimada, M., Tone, S., Masumoto, H., and Sakamoto, T. 1984. Development of the new cryogenic structural material for fusion experimental reactor. *Advances in Cryogenic Engineering Materials*. Plenum Press, New York, N.Y., Vol. 30, pp. 219-226.
- Kita, H., Ckuni, T., and Sejima, I. 1980. Today's status of application of high power electron beam welding to heavy electric machinery. *J. of Japan Welding Society* 49(11):731-736 (in Japanese).
- Kita, H., et al. 1979. Application of high power electron beam welding in the fabrication of the vacuum chamber of Heliotron E. Preprints of the national meeting of Japan Welding Society. No. 25:228-229 (in Japanese).
- Okamura, T., Kabashima, S., Shioda, S., and Sanada, Y. 1985. Superconducting magnet for a disc generator of FUJI-1 MHD facility. *Cryogenics* 25(9):483-491.
- Shida, T., Okamura, H., Watanabe, K., et al. 1974, '75, '77-'80. A study on occurrence and prevention of defects of electron beam welding. *J. of Japan Welding Society* 43:678-683, 44:121-127, 46:888-893, 48:476-482, 48:813-820, 49:440-446 (Japanese).
- Komarek, P. 1985. Superconducting magnets in fusion research. *Cryogenics* 25(11):604-612.
- Mori, T., and Kuroda, T. A predictive equation of absorbed energy of austenitic weld metals at 4.2K. *Cryogenic Engineering. J. of Cryogenic Association of Japan* 18(6):287-295 (in Japanese).
- Siewert, T. A. 1985. Predicting the cryogenic toughness of SMA austenitic stainless steel deposits. Presented at the AWS Annual Meeting, Las Vegas, Nev.
- Szumachowski, E. R., and Reed, H. F. 1979. Cryogenic toughness of SMA austenitic stainless steel weld metals: part II—role of nitrogen. *Welding Journal* 58(2):34-s to 44-s.

## Weldability of Steels—Fourth Edition By Prof. R. D. Stout

This well-known book on the welding metallurgy of steels has been extensively revised by Prof. Stout, Dean Emeritus of the Graduate School, Lehigh University. The fully indexed, 450-page, cloth-bound volume, which contains numerous illustrations and tables, was published in April 1987.

The price of *Weldability of Steels—Fourth Edition* is \$40.00 per copy, plus \$5.00 for postage and handling. Orders should be sent with payment to the Welding Research Council, Suite 1301, 345 E. 47th St., New York, NY 10017.